

LED STRIP SERIES

SensorReady

Main Features

- Watts Selectable
- CCT Selectable
- PIR Sensor Ready
- EM Backup Ready
- Max Output Up 21,000lm
- Dimming: 0-10V





Product Specifications

Model no.	Sensor base	Size	Power	Voltage	CCT	CRI	Output	Efficacy
ML-STLS-2-26WSelect-5CCT	Recessed PIR Sensor	2ft	13W/17W/21W/26W	120-277V	30K/35K/40K/50K/65K	80	Up to 4,000lm	Up to 170lm/W
ML-STLS-4-40WSelect-5CCT	Recessed PIR Sensor	4f	21W/26W/34W/40W	120-277V		80	Up to 5,760lm	Up to 170lm/W
ML-STLS-8-53WSelect-5CCT	Recessed PIR Sensor	8tft	34W/40W/47W/53W	120-277V		80	Up to 6,900lm	Up to 170lm/W
ML-STLS-8-80WSelect-5CCT	Recessed PIR Sensor	8ft	47W/53W/68W/80W.	120-277V		80	Up to12,300lm	Up to 170lm/W
ML-STLS-8-136WSelect-5CCT	Recessed PIR Sensor	8ft	80W/94W/106W/136W	120-277V		80	Up to21,000lm	Up to 170lm/W














Product Details



End Cap



Recessed
Sensor Base



Access Screw

Dimensions

2 FOOT STRIP
ML-ST-2-25WSelect-5CCT



4 FOOT STRIP
ML-ST-4-50WSelect-5CCT



8 FOOT STRIP
ML-ST-8-53WSelect-5CCT
ML-ST-8-120WSelect-5CCT



CORSO USA

LED STRIP SERIES



Main Features

- Watts Selectable
- CCT Selectable
- EM Backup Ready
- Max Output Up 15,600lm
- Dimming: 0-10V





Product Specifications

Model no.	Size	Power	Voltage	CCT	CRI	Output	Efficacy
ML-ST-2-25WSelect-5CCT	2ft	13W/17W/21W/25W	120-277V	30K/35K/40K/50K/65K	80	Up to 3,250lm	Up to 130lm/W
ML-ST-4-50WSelect-5CCT	4ft	26W/34W/40W/50W	120-277V		80	Up to 6,500lm	Up to 130lm/W
ML-ST-8-53WSelect-5CCT	8ft	34W/40W/47W/53W	120-277V		80	Up to 6,900lm	Up to 130lm/W
ML-ST-8-120WSelect-5CCT	8ft	60W/80W/100W/120W	120-277V		80	Up to 15,600lm	Up to 130lm/W














Product Details



End Cap



Access Screw



Bottom Knockout

Dimensions

2 FOOT STRIP
ML-ST-2-25WSelect-5CCT



4 FOOT STRIP
ML-ST-4-50WSelect-5CCT



8 FOOT STRIP
ML-ST-8-53WSelect-5CCT
ML-ST-8-120WSelect-5CCT

