CORSO USA

Retrofit

LED STRIP SERIES

SensorReady



Main Features

- Watts Selectable
- CCT Selectable
- PIR Sensor Ready
- EM Backup Ready
- Max Output Up 12,300lm
- Dimming: 0-10V




Product Specifications

Model no.	Sensor base	Size	Power	Voltage	CCT	CRI	Output	Efficacy
ML-STRLS-4-40WSelect-5CCT	Recessed PIR Sensor	2ft	21W/26W/34W/40W	120-277V	30K/35K/ 40K/50K/ 65K	80	Up to 6,100lm	Up to 170lm/W
ML-STRLS-4-53WSelect-5CCT	Recessed PIR Sensor	4f	34W/40W/47W/53W	120-277V		80	Up to 8,200lm	Up to 170lm/W
ML-STRLS-8-80WSelect-5CCT	Recessed PIR Sensor	8ft	40W/53W/68W/80W	120-277V		80	Up to 12,300lm.	Up to 170lm/W













Product Details



End Cap



Access Screw




Side Knockout


Retrofit

Dimensions

4 FOOT STRIP
ML-STRLS-4-40WSelect-5CCT
ML-STRLS-4-53WSelect-5CCT



8 FOOT STRIP
ML-STRLS-8-80WSelect-5CCT



CORSO USA

Retrofit

LED STRIP SERIES



Main Features


- Watts Selectable
- CCT Selectable
- EM Backup Ready
- Max Output Up 12,000lm
- Dimming: 0-10V

Product Specifications

Model no.	Size	Power	Voltage	CCT	CRI	Output	Efficacy
ML-STR-4-45WSelect-5CCT	2ft	34W/38W/45W	120-277V	30K/35K/ 40K/50K/ 65K	80	Up to 5,850lm	Up to 130lm/W
ML-STR-4-54WSelect-5CCT	4ft	38W/46W/54W	120-277V		80	Up to 7,000lm	Up to 130lm/W
ML-STR-8-90WSelect-5CCT	8ft	65W/75W/90W	120-277V		80	Up to 12,000lm	Up to 130lm/W













Product Details



End Cap



Access Screw




Side Knockout

Retrofit

Dimensions

4 FOOT STRIP
ML-STR-4-45WSelect-5CCT ML-STR-4-54WSelect-5CCT



8 FOOT STRIP
ML-STR-8-90WSelect-5CCT

